



Medical PC
Powered AIO
PC Phoenix



Dutch Design
Medical IT
of Tomorrow

www.athena-medical.com

+31 85 876 9225

info@athena-medical.com

Powered AIO PC Phoenix



Processor with TPM	Intel® Core™ Ultra Series 2 Processor I5 - 225U (12 Cores Cache- up to 4.80 GHz) Optional: I7 - 255U
Memory	16 Gb DDR5 (max 96 Gb)
Storage	512 Gb M.2 NVME SSD (max 2 Tb)
Battery capacity	2 x 150Wh Included (total: 300Wh)
I/O	2x USB3.2 gen 2, 2x USB2.0, 1x USB-C, 1x USB-C Display Port, 1x USB-C Fast Charge (side), 1x RS232, 1x HDMI, 2x LAN, 1x audio out, 1x Microphone in
WLAN	Intel® Wi-Fi 7 BE200 802.11ac/ax/b/g/n/be
Bluetooth	Bluetooth 5.4
Display	23,8 inch TFT LED, Anti Glare Glass, 6H
Touch screen (Optional)	Capacitive 10p Multi Touch
Sizes	547 x 329 x 69 mm
Resolution	1920 x 1080 Optional: 2560 x 1440
Viewing angle	178° / 178°
Active screen area	521.28 (H) x 293.22 (V)

Contrast ratio	1000:1
Luminance	250 cd/m ³
Optical response time	5 ms
Webcam (optional)	5.0 Mp with 2x integrated Mic and Noise Cancelling
Housing	Full IP65 Dust- and Waterprotected, Anti-Bacterial, Fanless
Certification	CE, RoHS, Energy Star, WEEE, IEC60601-1, IEC60601-1-2, IP65
Power	9-19V DC
Power consumption	22 Watts
Processor Base Power	15 Watts
Indicators	Power Indicator, 2x Battery Indicator
Buttons	Power Button, Touch On/Off Button, Brightness adjustment Button (+ / -), Reading light on/off Button








Acropolis Systems BV
Ohmstraat 8
3861 NB Nijkerk
The Netherlands

+31 85 876 9225
info@athena-medical.com
www.athena-medical.com



Powered AIO PC Phoenix

Weight	5,7 kg (without Batteries) 7,3 kg (with 2x Battery)	Included	External Medical adapter 100-240V/19V6A with Lock
Operating temperature	0°C to 40°C	RFID (Optional)	Supports: ISO14443A, ISO14443B, Sony, ISO15693, ISO18092
Storage temperature	-20°C to +60°C	Operating System	Windows 11, Windows 10, IGEL
VESA mount	100x100 mm		



Acropolis Systems BV
 Ohmstraat 8
 3861 NB Nijkerk
 The Netherlands

+31 85 876 9225
 info@athena-medical.com
 www.athena-medical.com



Powered AIO PC Phoenix

Battery Charging station

Model	4-Bay Smart Charging Dock	
Physical	Construction Material	Plastic+hardware Housing
	Dimensions (LxWxH)	225.98 x 140 x 208.99 mm
Environment	Operating Temperature	0 - 40 °C,
		10 - 95 % RH, non-condensing
	Storage Temperature	-20°C-60°C (-4 - 140 °F)
		10 to 95% RH non-condensing
	Thermal	Fanless
Power	Power Input	100V-240V AC input
	Power Adapter	200W built-in power supply
LED	LED	4 x Battery LED (Red/Green) Charging Battery: Red Fully Charged Battery: Green
Charging	Battery Pack Type	4S2P cells Lithium-ion Battery
	Charge Voltage	17.6V
	Continuous Charge Current	2 A for each battery pack
	Charging time from 10-100%	4 hours



Acropolis Systems BV
 Ohmstraat 8
 3861 NB Nijkerk
 The Netherlands

+31 85 876 9225
 info@athena-medical.com
 www.athena-medical.com





Medical PC

Powered AIO PC Phoenix

Flagship Performance Without Limits

The **Athena Phoenix Powered AIO PC** is our next-generation flagship, built for critical environments where performance and continuity are essential.

Powered by the latest **Intel Core Ultra Series 2 processors** and fully protected with **IP65**, it delivers fast, reliable operation in even the most demanding workflows.

Designed with mobility in mind, the powered version features a **hot-swappable battery system** with a clear battery status indicator, supported by a **multi-bay charging dock** for continuous availability. With **extensive I/O connectivity**, an **adjustable webcam position**, and a robust medical-grade design, Phoenix combines power, flexibility, and durability true to its name.



Acropolis Systems BV
Ohmstraat 8
3861 NB Nijkerk
The Netherlands

+31 85 876 9225
info@athena-medical.com
www.athena-medical.com

